HOUSE FOGGER

Nylar*keeps working in areas exposed to the sun!

effective long-term control

kills adult & preadult fleas

including flea eggs for 7 months

ACTIVE INGREDIENTS

2-I1-Methyl-2-(4-phenoxyphenoxy)	
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.10%
Pyrethrins	0.05%
N-Octyl bicycloheptene dicarboximide*	0.38%
Permethrin**	. 0.40%
OTHER INGREDIENTS	99.07%
TOTAL	100.00%

*MGK®264, Insecticide Synergist **Cis-trans isomers ratio: Min. 35% (+ or –) cis and Max. 65% (+ or –) trans EVERCIDE, NYLAR, and MGK are registered trademarks of McLaughlin Gormley King Company



KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements & First Aid INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA SEE OUTER BOX FOR COMPLETE DIRECTIONS FOR USE **NET CONTENTS 6 OZ (170a)**

Each can treats a room up to 27 ft. x 27 ft. with an 8 ft. ceiling or 6.000 cubic feet of unobstructed space.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SEE OUTER BOX FOR COMPLETE DIRECTIONS FOR USE

READ ALL DIRECTIONS AND PRECAUTIONS COMPLETELY REFORE LISE

> INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

DOES NOT CONTROL BED BUGS

General Precautions & Restrictions:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets and birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children. or pets to enter the treated area, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

Manufactured for Durvet. Inc. 100 S.E. Magellan Drive, Blue Springs, MO 64014 EPA Registration No.1021-1623-12281 EPA Est. No. 47000-IA-01 66941110-1 ISS13XB04



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal & Container Handling: Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through skin. Avoid contact with skin, eyes. or clothing. Causes moderate eve irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Users should wear long-sleeved shirt, long pants and shoes plus socks. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Highly Flammable Ingredient



Ingrediente Altamente Inflamable