

## Pre-Emergent and Post-Emergent Weed Control For Many Broadleaf Weeds and Grasses

## **ACTIVE INGREDIENTS:**

OF CHILDREN
CAUTION

See Back Panel for Additional Precautionary Statements.

\* Contains 480 grams per liter or 4.0 pounds per U.S. gallon. Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallo

\*\* Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon (CAS # 29091-21-1).

**NET CONTENTS ONE QUART (32 FL. OZS.)** 

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

#### FIRST AID

#### If In Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.

## HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment.

## ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility is not toxic to fish. However, at concentrations above the level of water solubility it may be toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertibal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment rinse water or instalt.

In the event of a medical or chemical emergency contact
North America 1-800-255-3924

#### SUBSTATEMENT OF INGREDIENT STATEMENT

- \* Contains 480 grams per liter or 4.0 pounds per U.S. gallon.
  Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon.
- \*\* Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon (CAS # 29091-21-1).

Manufactured By:

VPG Sendanty

Send

855-270-4776



PEEL FROM CORNER OF BOOKLET



EPA Reg. No. 228-509-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.Hi-Yield.com Product Questions? 855-270-4776

33698-1015-CL



## PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic, or plastic-lined steel containers. DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted digarette, or other ignition source.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner that is inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Stay off treated areas until sprays have dried. Precautions should be taken after application to prevent tracking product onto desirable grasses. **SHAKE WELL BEFORE USING.** 

## PRODUCT INFORMATION

#### WHERE TO USE

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged:

- . On cracks and crevices in driveways, sidewalks, walkways, and patios
- Along fences, foundations, curbs, retaining walls, and edges of lawns
- Around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs, or trees
- · On gravel areas

#### HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

- One ingredient enters the plants through foliage and moves systemically to the roots, killing many weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill of many weeds in 1 to 2 weeks.
- The other ingredient provides a herbicidal barrier in the soil preventing growth and development of newly germinated weeds.

#### USE RESTRICTIONS

- . DO NOT spray desirable plants.
- DO NOT use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- DO NOT use for vegetable garden preparations or in and around fruits and vegetables.
- D0 N0T spray around ornamental plants or in an area that will be planted or seeded for 6 months after application when applying at the 3 oz. per 1,000 sq. ft. use rate.
- If applying at or less than the 3 fl. oz. per 1,000 sq. ft. rate DO NOT retreat for a minimum of 30 days following application.
- D0 NOT spray around ornamental plants or in an area that will be planted or seeded for 12 months after application when applying at the 5.75 fl. oz. per 1,000 sg. ft. use rate.

- •DO NOT apply more that 5.75 fl. oz. per 1,000 sq. ft. per application.
- •DO NOT apply more than 5.75 fl. oz. per 1,000 sq. ft. per year (12-month period).
- •DO NOT apply through any type of irrigation system.
- .DO NOT apply by air.

## APPLICATION

## When to Apply

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

## WEEDS CONTROLLED

#### Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass Kochia

Bluegrass, annual (Poa annua)<sup>1</sup> Lambsquarters, common Carpetweed Lovegrass Chickweed, common<sup>2</sup> Panicum, (Texas, fall, browntop)

Chickweed, Common Panicum, (Texas, Iaii, Drownlop

Chickweed, mouse-ear Pigweed

(from seed) Purslane, common Crabgrass (large, smooth) Pusley, Florida Crowfootgrass Rescuegrass<sup>2</sup> Cupgrass, woolly Shepherdspurse1 Foxtails, annual Signalgrass, broadleaf Goosegrass Speedwell, Persian Henbit1 Sprangletop Spurge, prostrate Itcharass

Johnsongrass (from seed) Witchgrass

Junglerice Woodsorrel, yellow (from seed)

Knotweed<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

<sup>&</sup>lt;sup>2</sup> Suppression only.

## Post-Emergent:

## **ANNUAL WEEDS**

Barley Barnyardgrass Bluegrass, annual Bluegrass, bulbous Brome, downy Buttercup Cheat

Chickweed, common Chickweed, mouse-ear (from seed)

Cocklebur Corn Crabgrass Dwarf dandelion False flax, smallweed

Filaree Foxtail, Carolina Foxtail, Carolina Geranium, Carolina Goatgrass, jointed Goosegrass Groundsel, common Henbit

Horseweed/Mare's Tail Lambsquarters, common Mustard, blue

Mustard, tansy

Mustard, tumble Mustard, wild Oats, wild Panicum, fall Panicum, Texas Pennycress, field Pigweed, redroot Pigweed, smooth

Primrose, cutleaf evening Pusley, Florida

Rice, red Rocket, London Rye

Ryegrass, Italian Shattercane Shepherdspurse Sicklepod

Signalgrass, broadleaf Spanishneedles

Sprangletop Spurge, annual Spurry, umbrella Stinkgrass Teaweed Wheat Witchgrass

## **PERENNIAL WEEDS**

Alfalfa
Alligatorweed\*
Anise (fennel)
Artichoke, Jerusalem
Bahiagrass
Bentgrass
Bermudagrass
Bermudagrass
Bermudagrass. water

(knotgrass) Bindweed, field Bluegrass, Kentucky Bluegrass, Texas

Brackenfern

Bromegrass, smooth Bursage, woollyleaf Canarygrass, reed Cattail Clover, red Clover, white

Cogongrass Dallisgrass Dandelion Dock, curly Dogbane, hemp Fescue, tall Fescues

Guinea grass Horsenettle Horseradish Ice plant Johnsongrass

Johnsongrass, seedling

\*Partial Control

Kikuyugrass Knapweed Lantana Lespedeza Milkweed Morningglory Muhly, wirestem

Mullein, common

Napiergrass Nightshade, silverleaf Nutsedge; purple, yellow

Orchardgrass Pampasgrass\* Paragrass Phragmites\* Poison hemlock Quackgrass Redvine\* Reed, giant

Ryegrass, perennial Smartweed, swamp Spurge, leafy\* Starthistle, yellow Sweet potato, wild\* Thistle, artichoke Thistle, Canada

Timothy
Torpedograss\*
Trumpetcreeper\*
Vaseygrass
Velvetgrass

Wheatgrass, Western

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 5.75 fluid ounces to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate. Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

#### HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

### WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applying at the 3 oz. per 1,000 sq. ft. use rate or 12 months when applying at the 5.75 oz. per 1,000 sq. ft. use rate.

#### HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel.

After cleaning, sprayer may be used for other products.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALIIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewen drain.

## WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully.

TO THE EXTENT CONSISTENT APPLICABLE WITH LAW (1) THE GOODS DELIVERED TO YOUARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER. EITHER EXPRESS OR IMPLIED. OR BY USAGE OF TRADE STATUTORY, OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING. BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE. USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS. MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND CONTROL OF THE MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS RETWEEN BLIYER MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

## LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURE OR SELLER TO BUYER ALL SUCH SIKES SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES ON EXCEPTION EXCEPTION THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use this product, and return it unopened to the Seller, and the purchase price will be refunded.

- Dual action formula
- . Quart covers up to 10,667 sq. ft.
- Makes up to 10 gallons of spray

Hi-Yield® is a registered trademark of Voluntary Purchasing Groups, Inc.

This page left blank intentionally.

This page left blank intentionally.

This page left blank intentionally.